



HEDIS Tips for Behavioral Health Measures

HEDIS Measures & Definitions	What You Can Do	Coding Tips
<p>Antidepressant Medication Management (AMM) Patients 18 years of age and older who were newly treated with antidepressant medication, had a diagnosis of major depression and who remained on antidepressant medication treatment. Two rates are reported:</p> <ul style="list-style-type: none"> Effective Acute Phase: Percentage of patients who remained on an antidepressant medication for at least 84 days (12 weeks) Effective Continuation Phase: Percentage of patients who remained on an antidepressant medication for at least 180 days (6 months) 	<p>Educate patients that medication may take several weeks to become effective, they should call with any potential medication concerns/reactions</p> <p>Stress that they should not stop medication abruptly or without consulting you first for assistance</p> <p>Schedule follow up appointments prior to patient leaving your office</p> <p>Outreach patients that cancel appointments and have not rescheduled</p> <p>Stress the importance of medication compliance.</p>	<p>ICD-10 CM Codes for Major Depression: F32.0-F32.4, F32.9, F33.0-F33.3, F33.41, F33.9</p>
<p>Follow-Up Care for Children Prescribed ADHD Medication (ADD)</p> <p>Children 6-12 years of age, newly prescribed ADHD medication who had at least 3 follow-up visits within a 10 month period, one of which was within 30 days of when the ADHD medication was dispensed. Two rates are reported:</p> <ul style="list-style-type: none"> Initiation Phase: A follow-up visit with a <i>practitioner with prescribing</i> authority during the 30 day initiation phase Continuation Phase: children that remained on the ADHD medication for at least 210 days, and in addition to the visit in the Initiation Phase, had at least 2 follow-up visits with a practitioner within 270 days (9 months) after the Initiation Phase ended. 	<p>When prescribing a new ADHD medication for a patient, schedule the initial follow-up appointment before the patient leaves the office.</p> <p>Explain to the parent/guardian the importance of follow-up care</p> <p>Schedule the initial follow-up for 2-3 weeks after stating the medication</p> <p>No refills unless the child has the initial follow-up visit</p> <p>After the initial follow-up visit, schedule at least 2 more visits over the next 9 months to check the child's progress</p> <p>Encourage parents/caregivers to ask questions about their child's ADHD</p>	<p>CPT stand alone visit codes: 96150-96154, 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99381-99384, 99391-99394, 99401-99404, 99411, 99412, 99510</p> <p>HCPCS: G0155, G0176, G0177, G0409-G0411, G0463, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, M0064, S0201, S9480, S9484, S9485, T1015</p> <p>UB REV: 0510, 0513, 0515-0517, 0519-0523, 0526-0529, 0900, 0902-0905, 0907, 0911-0917, 0919, 0982, 0983</p> <p>CPT codes that require a POS code: CPT Group 1: 90791-90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876 POS Group 1: 03, 05, 07, 09, 11-20, 22, 33, 49, 50, 52, 53, 71, 72 CPT Group 2: 99221-99223, 99231-99233, 99238, 99239, 99251-99255 POS Group 2: 52, 53</p> <p>One follow-up visit can also be completed via telephone. Telephone Visit CPT Codes: 98966-98968, 99441-99443</p>
<p>Follow-Up After Hospitalization for Mental Illness (FUH)</p> <p>Patients 6 years of age and older who were hospitalized for treatment of selected mental illness diagnoses and who had a follow-up visit with a mental health practitioner. Two rates are reported:</p> <ul style="list-style-type: none"> Follow-Up care within 30 days of discharge Follow-Up care within 7 days of discharge <p>The measure includes visits that occur on the date of discharge.</p>	<p>Maintain appointment availability in your practice for recent hospital discharges.</p> <p>Explain the importance of follow-up to your patients.</p> <p>Reach out to patients that do not keep initial follow-up appointments and reschedule them ASAP</p>	<p>Follow-Up Visit Codes CPT: 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99383-99387, 99393-99397, 99401-99404, 99411, 99412, 99510 TCM 7 day CPT: 99496 TCM 14 Day CPT: 99495 CPT: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90867-90870, 90875, 90876 with POS: 03, 05, 07, 09, 11-20, 22, 24, 33, 49, 50, 52, 53, 71, 72 CPT: 99221-99223, 99231-99233, 99238, 99239, 99251-99255 with POS: 52, 53 HCPCS: G0155, G0176, G0177, G0409-G0411, G0463, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, M0064, S0201, S9480, S9484, S9485, T1015 UB Rev Codes for a visit at a behavioral healthcare facility: 0513, 0900-0905, 907, 911-917, 919 UB Rec Codes for visits at a non-behavioral healthcare facility with a mental health provider or with a diagnosis of mental illness: 0510, 0515-0517, 0519-0523, 0526-0529, 0982-0983</p>

HEDIS Measures & Definitions	What You Can Do	Coding Tips
<p>Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET)</p> <p>Adolescents (13 years and older) and Adults with a new episode of alcohol or other drug (AOD) dependence who received the following:</p> <ul style="list-style-type: none"> • Initiation of AOD Treatment: treatment initiated through inpatient AOD admission, outpatient visit, intensive outpatient encounter or partial hospitalization within 14 days of the diagnosis • Engagement of AOD Treatment: patients who initiated treatment and had two or more additional services with a diagnosis of AOD within 30 days of the initiation visit. 	<p>Detoxification codes do not meet criteria for initiation of treatment for alcohol or other drug dependence</p> <p>If your patient was seen in the hospital or other place of service listed in the measure description, and has an alcohol or other drug dependence diagnosis listed in that hospitalization or visit, they will be in this HEDIS measure population. Please address the AOD issues accordingly in your next appointment with them and document it with the appropriate codes.</p> <p>Schedule follow up visits prior to patient leaving the office.</p> <p>A total of 3 visits by 30 days after diagnosis : 1 within 14 days of diagnosis 2 more by 30 days of diagnosis</p> <p>If patients do not keep appointments, have staff reach out to reschedule them</p>	<p>Visit Codes CPT: 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99384-99387, 99394-99397, 99401-99404, 99408-99412, 99510 CPT that require POS: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876 with POS: 03, 05, 07, 09, 11-20, 22, 33, 49, 50, 52, 53, 57, 71, 72 More CPT that require POS: 99221-99223, 99231-99233, 99238, 99239, 99251-99255 with POS: 52, 53 HCPCS: G0155, G0176, G0177, G0396, G0397, G0409-G0411, G0443, G0463, H0001, H0002, H0004, H0005, H0007, H0015, H0016, H0020, H0022, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, H2035, H2036, M0064, S0201, S9480, S9484, S9485, T1006, T1012, T1015 UB Rev Codes: 0510, 0513, 0515-0517, 0519-0523, 0526-0529, 0900, 0902-0907, 0911-0917, 0919, 0944, 0945, 0982, 0983</p>
<p>Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)</p> <p>Patients 18 – 64 years of age with schizophrenia or bipolar disorder, who were dispensed an antipsychotic medication and had a diabetes screening test annually</p>	<p>Screen your patients with Schizophrenia or Bipolar Disorder that are taking antipsychotic medications yearly for diabetes</p> <p>Explain to the patient the importance of completing lab work ordered</p> <p>You may be the only provider this patient sees. Order these tests and have results also sent to PCP</p>	<p>Glucose Test CPT: 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951</p> <p>HbA1C Test CPT: 83036, 83037, 3044F-3046F</p>
<p>Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)</p> <p>Patients 18–64 years of age with schizophrenia and diabetes who had both an LDL-C test and an HbA1c test annually</p>	<p>Stress importance that these tests are completed.</p> <p>You may be the only provider this patient sees. Order these tests and have results also sent to PCP</p> <p>Order at every visit until patient completes the test.</p>	<p>HbA1C Test CPT: 83036, 83037, 3044F-3046F</p> <p>LDL-C test CPT: 80061, 83700, 83701, 83704, 83721, 3048F-3050F</p>
<p>Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (SMC)</p> <p>Patients 18–64 years of age with schizophrenia and cardiovascular disease, who had an LDL-C test annually</p>	<p>Stress importance that this test is completed.</p> <p>You may be the only provider this patient sees. Order these tests and have results also sent to PCP</p> <p>Order at every visit until patient completes the test.</p>	<p>LDL-C test CPT: 80061, 83700, 83701, 83704, 83721, 3048F-3050F</p>

HEDIS Measures & Definitions	What You Can Do	Coding Tips																														
<p>Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)</p> <p>Patients 19- 64 years of age with schizophrenia who were dispensed and remained on an antipsychotic medication at least 80% of their treatment period</p>	<p>Patient education regarding medication compliance</p> <p>Schedule follow-up appointments before patient leaves the office</p> <p>Have office call and reschedule patients that do not keep appointments</p>	<p>Schizophrenia ICD-10 CM Codes: F20.0-F20.3, F20.5, F20.81, F20.89, F20.9, F25.0, F25.1, F25.8, F25.9</p>																														
<p>Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)</p> <p>Children age 1-17 years of age who had a new prescription for an antipsychotic medication and had documentation of psychosocial care as first-line treatment (90 days before up to 30 days after prescription dispensed).</p>	<p>Document diagnoses with appropriate codes</p> <p>(Patients with an Inpatient encounter or 2 outpatient encounters with a diagnosis of schizophrenia, bipolar or other psychotic disorder would be excluded from this measure because antipsychotic medication may be clinically appropriate.)</p>	<p>Psychosocial Care Codes: CPT: 90832-90834, 90836-90840, 90845-90847, 90849, 90853, 90875, 90876, 90880</p> <p>HCPCS: G1076, G1077, G0409-G0411, H0004, H0035-H0040, H2000, H2001, H2011-H2014, H2017-H2020, S0201, S9480, S9484, S9485</p>																														
<p>Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM)</p> <p>Children age 1– 17 years that have two or more antipsychotic prescription dispensing events of the same or different medications and had metabolic testing (Glucose or HbA1C and LDL–C or other cholesterol test)</p>	<p>Stress importance to parent/caregiver of the need to have these test performed</p> <p>You may be the only provider this patient sees. Order these tests and have results also sent to PCP.</p> <p>Order at every visit until patient completes the test.</p>	<p>Glucose Test CPT: 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951</p> <p>HbA1C Test CPT: 83036, 83037, 3044F-3046F</p> <p>LDL–C test CPT: 80061, 83700, 83701, 83704, 83721, 3048F-3050F</p> <p>Cholesterol tests other than LDL, CPT: 82465, 83718, 84478</p>																														
<p>Use of Multiple Concurrent Antipsychotics in Children and Adolescents (APC)</p> <p>Children and adolescents 1–17 years of age who were on two or more concurrent antipsychotic medications</p> <p>A lower rate indicates better performance</p>	<p>The measure reports when a child is on two or more concurrent antipsychotic medications for at least 90 consecutive days during the measurement year.</p> <p>Ask patients/parents/guardians to bring all medications to every appointment to ensure medication list is current and you can verify that all medications in the patient’s possession should currently be taken by the patient.</p> <p>Have your patients/parents/guardians acknowledge understanding when a medication should be discontinued. Encourage them to dispose of the discontinued medication so they do not take it by mistake.</p>	<p>First Generation Antipsychotics:</p> <table border="0"> <tr> <td>Chlorpromazine HCL</td> <td>Haloperidol Lactate</td> </tr> <tr> <td>Fluphenazine HCL</td> <td>Loxapine HCL</td> </tr> <tr> <td>Fluphenazine Decanoate</td> <td>Loxapine Succinate</td> </tr> <tr> <td>Haloperidol</td> <td>Molindone HCL</td> </tr> <tr> <td>Haloperidol Decanoate</td> <td>Perphenazine</td> </tr> <tr> <td>Pimozide</td> <td>Thioridazine HCL</td> </tr> <tr> <td>Trifluoperazine HCL</td> <td>Thiothixine</td> </tr> </table> <p>Second Generation Antipsychotic Medications:</p> <table border="0"> <tr> <td>Aripiprazole</td> <td>Lurasidone</td> </tr> <tr> <td>Asenapine</td> <td>Olanzapine</td> </tr> <tr> <td>Brexipiprazole</td> <td>Olanzapine Pamoate</td> </tr> <tr> <td>Cariprazine</td> <td>Paliperidone</td> </tr> <tr> <td>Clozapine</td> <td>Paliperidone Palmitate</td> </tr> <tr> <td>Iloperdone</td> <td>Quetiapine Fumarate</td> </tr> <tr> <td>Risperidone</td> <td>Ziprasidone HCL</td> </tr> <tr> <td>Risperidone microspheres</td> <td>Zuprasidone Mesylate</td> </tr> </table>	Chlorpromazine HCL	Haloperidol Lactate	Fluphenazine HCL	Loxapine HCL	Fluphenazine Decanoate	Loxapine Succinate	Haloperidol	Molindone HCL	Haloperidol Decanoate	Perphenazine	Pimozide	Thioridazine HCL	Trifluoperazine HCL	Thiothixine	Aripiprazole	Lurasidone	Asenapine	Olanzapine	Brexipiprazole	Olanzapine Pamoate	Cariprazine	Paliperidone	Clozapine	Paliperidone Palmitate	Iloperdone	Quetiapine Fumarate	Risperidone	Ziprasidone HCL	Risperidone microspheres	Zuprasidone Mesylate
Chlorpromazine HCL	Haloperidol Lactate																															
Fluphenazine HCL	Loxapine HCL																															
Fluphenazine Decanoate	Loxapine Succinate																															
Haloperidol	Molindone HCL																															
Haloperidol Decanoate	Perphenazine																															
Pimozide	Thioridazine HCL																															
Trifluoperazine HCL	Thiothixine																															
Aripiprazole	Lurasidone																															
Asenapine	Olanzapine																															
Brexipiprazole	Olanzapine Pamoate																															
Cariprazine	Paliperidone																															
Clozapine	Paliperidone Palmitate																															
Iloperdone	Quetiapine Fumarate																															
Risperidone	Ziprasidone HCL																															
Risperidone microspheres	Zuprasidone Mesylate																															

HEDIS Measures & Definitions	What You Can Do	Coding Tips
<p>Follow-Up After Emergency Department Visit for Mental Illness (FUM)</p> <p>Patients 6 years of age and older who had an emergency department (ED) visit with a principal diagnosis of mental illness, who had a follow-up visit for mental illness. Two rates are reported</p> <ul style="list-style-type: none"> Follow-up within 30 days of the ED visit. Follow-up care within 7 days of the ED visit. <p>The measure includes visits that occur on the date of the ED visit.</p>	<p>Maintain a appointment availability in your practice for recent hospital discharges.</p> <p>Explain the importance of follow-up to your patients.</p> <p>Schedule the second appointment before the patient leaves your office and be sure it is within 30 days of discharge.</p> <p>Reach out to patients that do not keep initial follow-up appointments and reschedule them ASAP</p> <p>A telehealth visit with a principle diagnosis of a mental health disorder will meet criteria for a follow-up visit.</p>	<p>Follow-Up Visit Codes</p> <p>CPT: 98960–98962, 99078, 99201–99205, 99211–99215, 99217–99220, 99241–99245, 99341–99345, 99347–99350, 99383–99387, 99393–99397, 99401–99404, 99411, 99412, 99510</p> <p>CPT: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90867-90870, 90875, 90876 with POS: 03, 05, 07, 09, 11–20, 22, 24, 33, 49, 50, 52, 53, 71, 72</p> <p>CPT: 99221–99223, 99231–99233, 99238, 99239, 99251–99255 with POS: 52, 53</p> <p>HCPCS: G0155, G0176, G0177, G0409–G0411, G0463, H0002, H0004, H0031, H0034–H0037, H0039, H0040, H2000, H2001, H2010–H2020, M0064, S0201, S9480, S9484, S9485, T1015</p> <p>UB Rev Codes for a visit at a behavioral healthcare facility: 0513, 0900-0905, 907, 911-917, 919</p> <p>UB Rec Codes for visits at a non-behavioral healthcare facility with a mental health provider or with a diagnosis of mental illness: 0510, 0515-0517, 0519-0523, 0526-0529, 0982-0983</p> <p>Telehealth visit CPT codes: 98966-98969, 99441-99444</p>
<p>Follow-Up After Emergency Department Visit for Alcohol and Other Drug Dependence (FUA)</p> <p>Patients 13 years of age and older that had an emergency department (ED) visits with a principal diagnosis of alcohol or other drug (AOD) dependence, who had a follow up visit for AOD. Two rates are reported:</p> <ul style="list-style-type: none"> Follow-up care within 30 days of the ED visit. Follow-up care within 7 days of the ED visit. 	<p>Maintain a appointment availability in your practice for recent hospital discharges.</p> <p>Explain the importance of follow-up to your patients.</p> <p>Schedule the second appointment before the patient leaves your office and be sure it is within 30 days of discharge.</p> <p>Reach out to patients that do not keep initial follow-up appointments and reschedule them ASAP</p> <p>A principle diagnosis of alcohol and other drug dependence must be used to meet follow-up criteria.</p> <p>A telehealth visit with a principle diagnosis of alcohol and other drug dependence will meet criteria for a follow-up visit.</p>	<p>Visit Codes</p> <p>CPT: 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99384-99387, 99394-99397, 99401-99404, 99408-99412, 99510</p> <p>CPT that require POS: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876 with POS: 03, 05, 07, 09, 11-20, 22, 33, 49, 50, 52, 53, 57, 71, 72</p> <p>More CPT that require POS: 99221-99223, 99231-99233, 99238, 99239, 99251-99255 with POS: 52, 53</p> <p>HCPCS: G0155, G0176, G0177, G0396, G0397, G0409-G0411, G0443, G0463, H0001, H0002, H0004, H0005, H0007, H0015, H0016, H0020, H0022, H0031, H0034- H0037, H0039, H0040, H2000, H2001, H2010-H2020, H2035, H2036, M0064, S0201, S9480, S9484, S9485, T1006, T1012, T1015</p> <p>UB Rev Codes: 0510, 0513, 0515-0517, 0519-0523, 0526-0529, 0900, 0902-0907, 0911-0917, 0919, 0944, 0945, 0982, 0983</p> <p>Telehealth visit CPT codes: 98966-98969, 99441-99444</p>